



| | | |
|--|--|---|
| <i>Index of Claims</i>  | Application/Control No. 10627910 | Applicant(s)/Patent Under Reexamination STAARGAARD ET AL. |
| | Examiner Nordmeyer, Patricia L | Art Unit 1794 |

| | | | | | | | |
|---|-----------------|---|-------------------|---|---------------------|---|-----------------|
| ✓ | Rejected | - | Cancelled | N | Non-Elected | A | Appeal |
| = | Allowed | ÷ | Restricted | I | Interference | O | Objected |

| <input type="checkbox"/> Claims renumbered in the same order as presented by applicant | | | | | | | | | | <input type="checkbox"/> CPA | | <input type="checkbox"/> T.D. | | <input type="checkbox"/> R.1.47 | |
|--|----------|------------|------------|------------|------------|------------|------------|------------|--|------------------------------|--|-------------------------------|--|---------------------------------|--|
| CLAIM | | DATE | | | | | | | | | | | | | |
| Final | Original | 08/26/2006 | 01/26/2007 | 08/13/2007 | 11/09/2007 | 07/11/2008 | 07/17/2009 | 01/13/2010 | | | | | | | |
| | 1 | - | - | - | - | - | - | - | | | | | | | |
| | 2 | - | - | - | - | - | - | - | | | | | | | |
| | 3 | - | - | - | - | - | - | - | | | | | | | |
| | 4 | - | - | - | - | - | - | - | | | | | | | |
| | 5 | - | - | - | - | - | - | - | | | | | | | |
| | 6 | - | - | - | - | - | - | - | | | | | | | |
| | 7 | - | - | - | - | - | - | - | | | | | | | |
| | 8 | - | - | - | - | - | - | - | | | | | | | |
| | 9 | - | - | - | - | - | - | - | | | | | | | |
| | 10 | - | - | - | - | - | - | - | | | | | | | |
| | 11 | - | - | - | - | - | - | - | | | | | | | |
| | 12 | - | - | - | - | - | - | - | | | | | | | |
| | 13 | - | - | - | - | - | - | - | | | | | | | |
| | 14 | ÷ | - | - | - | - | - | - | | | | | | | |
| | 15 | ÷ | - | - | - | - | - | - | | | | | | | |
| | 16 | ÷ | - | - | - | - | - | - | | | | | | | |
| | 17 | ÷ | - | - | - | - | - | - | | | | | | | |
| | 18 | ÷ | - | - | - | - | - | - | | | | | | | |
| | 19 | ÷ | - | - | - | - | - | - | | | | | | | |
| | 20 | ÷ | - | - | - | - | - | - | | | | | | | |
| | 21 | ÷ | - | - | - | - | - | - | | | | | | | |
| | 22 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | |
| | 23 | - | - | - | - | - | - | - | | | | | | | |
| | 24 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | |
| | 25 | - | - | - | - | - | - | - | | | | | | | |
| | 26 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | |
| | 27 | - | - | - | - | - | - | - | | | | | | | |
| | 28 | - | - | - | - | - | - | - | | | | | | | |
| | 29 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | |
| | 30 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | |
| | 31 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | |
| | 32 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | |
| | 33 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | |
| | 34 | | | | | | | ✓ | | | | | | | |
| | 35 | | | | | | | ✓ | | | | | | | |
| | 36 | | | | | | | ✓ | | | | | | | |

| | | |
|--|--|---|
| <p><i>Index of Claims</i></p>  | Application/Control No. 10627910 | Applicant(s)/Patent Under Reexamination STAARGAARD ET AL. |
| | Examiner Nordmeyer, Patricia L | Art Unit 1794 |

| | |
|---|-----------------|
| ✓ | Rejected |
| = | Allowed |

| | |
|---|-------------------|
| - | Cancelled |
| ÷ | Restricted |

| | |
|---|---------------------|
| N | Non-Elected |
| I | Interference |

| | |
|---|-----------------|
| A | Appeal |
| O | Objected |